

arch linux user guide

Published: September 19, 2026 | Index ID: #-

Arch Linux User Guide: From Installation to Daily Use

Welcome to the definitive Arch Linux user guide. Whether you're a seasoned Linux enthusiast looking to experiment with a rolling-release distribution, or a beginner curious about the minimalist philosophy of Arch, this guide will walk you through every step of setting up, customizing, and maintaining your Arch system. We'll cover the core concepts, installation process, package management, desktop environments, and essential tips to keep your machine running smoothly. By the end, you'll have a solid foundation to explore the world of Arch Linux confidently.

What Is Arch Linux?

Arch Linux is a lightweight, KISS (Keep It Simple, Stupid) distribution that emphasizes simplicity, flexibility, and user control. Unlike many other Linux distros, Arch does not provide a pre configured desktop or a heavy graphical installer. Instead, it offers a minimal base system that you build upon, giving you the freedom to install exactly what you need.

- Rolling Release – Continuous updates mean you always have the latest software without the need for major upgrades.
- Pacman Package Manager – A powerful, dependency aware system for installing, updating, and removing packages.
- AUR (Arch User Repository) – A community-driven repository that hosts thousands of user contributed packages.
- Documentation – The Arch Wiki is the single most comprehensive resource for troubleshooting and advanced configuration.

Why Choose Arch Linux?

Arch appeals to users who want to learn how Linux works under the hood. It's ideal for:

1. Customizability – Build a system that matches your exact workflow.
2. Performance – Minimal background services lead to a lean, fast machine.
3. Learning Experience – Every configuration step is a lesson in Linux fundamentals.
4. Community Support – A vibrant community shares scripts, guides, and troubleshooting tips.

System Requirements

Arch Linux is lightweight enough to run on older hardware, but there are a few baseline requirements to ensure a smooth experience:

- CPU: 64 bit processor (x86_64)
- RAM: Minimum 512 /MB (recommended 2 /GB or more)
- Storage: At least 2 /GB of free space for the base system; more if you plan to install a desktop environment.
- Internet Connection: Required for downloading packages during installation.

Preparing the Installation Media

Before you boot your machine, you'll need a bootable USB drive or a DVD with the Arch ISO. Here's a quick checklist:

1. Download the latest ISO from archlinux.org/download.
2. Verify the checksum to ensure the file's integrity.
3. Use a tool like Rufus (Windows), Etcher (cross platform), or the `dd` command (Linux) to write the ISO to your USB drive.

Installing Arch Linux

The Arch installation process is intentionally minimalistic, giving you full control over partitioning, filesystem choice, and configuration. Below is a step by step guide that covers the most common setup path.

1. Boot into the Live Environment

Insert your bootable media, reboot your computer, and select the "Boot Arch Linux (x86_64)" option from the boot menu. Once the live environment loads, you'll be presented with a command line prompt.

2. Connect to the Internet

For wired connections, Arch usually auto detects the interface. For Wi Fi, use `iwctl`:

```
iwctl
device list
station wlan0 connect YOUR_SSID
```

3. Update the System Clock

Synchronize your system clock to avoid time related errors:

```
timedatectl set-ntp true
```

4. Partition the Disk

You can use `fdisk` or `parted`. A typical layout might include:

- EFI System Partition (ESP) – 512 /MiB, FAT32, for UEFI boot.
- Root Partition – the remaining space, formatted as ext4.

Example using `fdisk`:

```
fdisk /dev/sda
# Create a new partition table (g for GPT)
# Create partition 1: EFI (t 1 1; a 1; n 1 2048 4095; w)
# Create partition 2: Root (n 2; w)
```

5. Format Partitions

Format the EFI partition as FAT32 and the root partition as ext4:

```
mkfs.fat -F32 /dev/sda1
```

```
mkfs.ext4 /dev/sda2
```

6. Mount the Filesystems

Mount the root partition and create an EFI mount point:

```
mount /dev/sda2 /mnt  
mkdir /mnt/boot  
mount /dev/sda1 /mnt/boot
```

7. Install the Base System

Use pacstrap to install essential packages:

```
pacstrap /mnt base linux linux-firmware
```

8. Generate fstab

Generate an /etc/fstab file to ensure your partitions mount automatically at boot:

```
genfstab -U /mnt >> /mnt/etc/fstab
```

9. Chroot into the New System

Change root to your new installation:

```
arch-chroot /mnt
```

10. Set Timezone

Link the correct timezone file and synchronize the clock again:

```
ln -sf /usr/share/zoneinfo/Region/City /etc/localtime  
hwclock --systohc
```

11. Localization

Edit /etc/locale.gen to uncomment your desired locales, then generate them:

```
nano /etc/locale.gen  
# e.g., en_US.UTF-8 UTF-8  
locale-gen  
echo "LANG=en_US.UTF-8" > /etc/locale.conf
```

12. Network Configuration

Set the hostname:

```
echo "archlinux" > /etc/hostname
```

Configure hosts file:

```
nano /etc/hosts
127.0.0.1  localhost
::1      localhost
127.0.1.1  archlinux.localdomain archlinux
```

13. Install Bootloader

For UEFI systems, install grub-efi-x86_64 and efibootmgr:

```
pacman -S grub efibootmgr os-prober
grub-install --target=x86_64-efi --efi-directory=/boot --bootloader-id=GRUB
grub-mkconfig -o /boot/grub/grub.cfg
```

14. Set Root Password

Secure your system by setting a root password:

```
passwd
```

15. Exit and Reboot

Exit the chroot environment, unmount filesystems, and reboot:

```
exit
umount -R /mnt
reboot
```

Post Installation Setup

After rebooting, you'll land on a login prompt. By default, you only have the root user. It's recommended to create a regular user for everyday tasks.

Create a New User

```
useradd -m -G wheel -s /bin/bash your_username
passwd your_username
```

Enable Sudo

Install sudo and allow the wheel group to run commands as root:

```
pacman -S sudo  
sed -i 's/^# %wheel ALL=(ALL) ALL/%wheel ALL=(ALL) ALL/' /etc/sudoers
```

Set Up Networking

For wired connections, the system typically works out of the box. For Wi Fi, you can use iwctl or install networkmanager and enable the service:

```
pacman -S networkmanager  
systemctl enable --now NetworkManager
```

Package Management with Pacman

Pacman is Arch's official package manager. It handles installation, upgrades, and removal of packages from the official repositories. Below are the most common commands.

- Update the System – `sudo pacman -Syu`
- Install a Package – `sudo pacman -S package_name`
- Remove a Package – `sudo pacman -R package_name`
- Search for a Package – `pacman -Ss search_term`
- List Installed Packages – `pacman -Q`

Pacman Configuration

The configuration file `/etc/pacman.conf` allows you to tweak mirrors, compression, and package signing. For a faster mirror list, you can use reflector:

```
pacman -S reflector  
reflector --country US --sort rate --save /etc/pacman.d/mirrorlist
```

Arch User Repository (AUR)

The AUR is a treasure trove of user contributed packages that are not in the official repos. To simplify AUR usage, many users install an AUR helper like yay or paru.

Installing Yay

```
cd /tmp  
git clone https://aur.archlinux.org/yay.git  
cd yay  
makepkg -si
```

Using Yay

Once installed, you can search, build, and install AUR packages with the same syntax as pacman:

```
yay -Ss package_name
```

```
yay -S package_name
```

Choosing a Desktop Environment

Arch's minimalist base system doesn't include a desktop environment (DE). You can choose from a wide range of DEs or window managers (WMs) to suit your preferences.

Popular Desktop Environments

- GNOME – A polished, user friendly experience.
- KDE Plasma – Highly configurable and feature rich.
- XFCE – Lightweight and fast.
- Mate – Classic desktop experience with modern features.

Popular Window Managers

Tags: [#arch](#) [#linux](#) [#user](#) [#guide](#)

